WO 2004/108151 PCT/SG2004/000173

## WHAT IS CLAIMED IS:

1. A method of treating SARS-coronavirus infection, comprising administering an effective amount of an interferon to a patient, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.

- 2. The method of claim 1 wherein the interferon is recombinant.
- 3. The method of claim 2 wherein the interferon is recombinantly produced in E. coli.
- 4. The method of claim 2 wherein the interferon is recombinantly produced in mammalian cells.
- 5. The method of any one of claims 1 to 4 further comprising administering an additional antiviral agent in combination with the interferon.
- 6. The method of claim 5 wherein the additional antiviral agent is ribavirin.
- 7. Use of an effective amount of an interferon for treating SARS-coronavirus infection, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 8. Use of an effective amount of an interferon in the manufacture of a medicament for treating SARS-coronavirus infection, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 9. The use of claim 7 or 8 wherein the interferon is recombinant.
- 10. The use of claim 9 wherein the interferon is recombinantly produced in E. coli.
- 11. The use of claim 9 wherein the interferon is recombinantly produced in mammalian cells.
- 12. The use of any one of claims 7 to 11 wherein the interferon is used in combination

WO 2004/108151 PCT/SG2004/000173

with an additional antiviral agent.

13. The use of claim 12 wherein the additional antiviral agent is ribayirin.

- 14. A method of inhibiting SARS-coronavirus infection, comprising administering an interferon to a cell capable of being infected with SARS-CoV, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 15. The method of claim 14 wherein the interferon is recombinant.
- 16. The method of claim 15 wherein the interferon is recombinantly produced in E. coli.
- 17. The method of claim 15 wherein the interferon is recombinantly produced in mammalian cells.
- 18. The method of any one of claims 14 to 17 wherein the cell is in a patient.
- 19. The method of any one of claims 14 to 17 wherein the cell is a cell in vitro.
- 20. The method of claim 19 wherein the cell is a VERO 6 cell, a peripheral blood leukocyte or a THP-1 monocyte.
- 21. The method of any one of claims 14 to 20 further comprising administering to the cell an additional antiviral agent in combination with the interferon.
- 22. The method of claim 21 wherein the additional antiviral agent is ribavirin.
- 23. Use of an interferon for inhibiting SARS-coronavirus infection, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 24. Use of an interferon in the manufacture of a medicament for inhibiting SARS-coronavirus infection, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 25. The use of claim 23 or 24 wherein the interferon is recombinant.

WO 2004/108151 PCT/SG2004/000173

26. The use of claim 25 wherein the interferon is recombinantly produced in E. coli.

- 27. The use of claim 25 wherein the interferon is recombinantly produced in mammalian cells.
- 28. The use of any one of claims 23 to 27 wherein the cell is in a patient.
- 29. The use of any one of claims 23 to 27 wherein the cell is an in vitro cell.
- 30. The use of claim 29 wherein the cell is a VERO 6 cell, a peripheral blood leukocyte or a THP-1 monocyte.
- 31. The use of any one of claims 23-30 wherein the interferon is used in combination with an additional antiviral agent.
- 32. The use of claim 31 wherein the additional antiviral agent is ribavirin.
- 33. A kit comprising an interferon and instructions for using the interferon to treat SARS-coronavirus infection, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 34. A kit comprising an interferon and instructions for using the interferon to inhibit SARS-coronavirus infection, wherein the interferon is IFN  $\alpha$ -n1, IFN  $\alpha$ -n3, human leukocyte IFN  $\alpha$  or IFN  $\beta$ -1b.
- 35. The kit of claim 33 or 34 wherein the interferon is recombinant.
- 36. The kit of claim 35 wherein the interferon is recombinantly produced in E. coli.
- 37. The kit of claim 35 wherein the interferon is recombinantly produced in mammalian cells.
- 38. The kit of any one of claims 33 to 37 further comprising an additional antiviral agent.
- 39. The kit of claim 38 wherein the additional antiviral agent is ribavirin.